



FC Pro Model

Outdoor Fixed Front And Back Service Design



ENBON GROUP
Spirit & Success, Together



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display



Different **M**odules Use **S**ame **HUB**

Customize The Box Size
According To The Display Size




L*H: 480*320(mm)

Module



L*H: 960*960(mm)

Cabinet



Weight 23kg

ENBON GROUP
Spirit & Success, **Together**



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display



Thinner Panels Lower Cost

10 in 1 flight case saves more space
and transportation cost



24 panels can be placed horizontally
in a regular 20-foot or 40-foot truck



ENBON GROUP
Spirit & Success, **Together**



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display




Multiple **A**ngles, **M**ore **P**ossibility

It can be installed directly without steel structure



Curved Version



ENBON GROUP
Spirit & Success, **Together**



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display

EnBon

High Refresh Rate
High Grayscale



Low Refresh Rate



High Refresh Rate



Low Grayscale



High Grayscale

ENBON GROUP
Spirit & Success, Together



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display



Product Details



Can Do Seamless Splicing



Safety Lock



Corner Cover



Power Box



Fast Lock
Between Left and
Right Cabinets

ENBON GROUP
Spirit & Success, Together



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display



Extremely **Light And Thin**



③ Lightweight Cabinet **23kg**

④ **Aluminum** Module and Cabinet

ENBON GROUP
Spirit & Success, **Together**



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display




enbon led display



Low Power Consumption


Compared with similar products on the market, it saves 30% power





Front **And** Rear Installation **And** Maintenance

Front and rear installation and maintenance, flexible installation and convenient maintenance



Fixed Installation

ENBON GROUP
Spirit & Success, **Together**



+86-755-2357 0137



www.enbon.com



enbon led display



enbondisplay



enbon led display



enbon led display



Stowing **A**nd **H**anging

Optional vertical installation and hanging beam installation



Hanging Beam Installation



Vertical Installation





Product Specification

Advanced locking system safety, Mechanism enables one-man installation

Pixel Pitch	4.44	5.7	6.67	10
LED Lamp	SMD1921	SMD2727	SMD2727	SMD2727/3535
Density (dots/m2)	50625	30625	22500	10000
Brightness	≥6500-10000 nits	≥6500-10000 nits	≥6500-10000 nits	≥6500-10000 nits
IP Rating	IP65	IP65	IP65	IP65
Cabinet Materiel	Aluminum Profile			
Diving IC	3840 Hz			
Scan	9 scan	7 scan	6 scan	2 scan
Module Weight	2 kg	2 kg	2 kg	2 kg
Cabinet Weight	23 kg	23 kg	23 kg	23 kg
Module Size (mm)	480*320	480*320	480*320	480*320
Cabinet Size (mm)	960*960*92	960*960*92	960*960*92	960*960*92
Module Pixel	108*72 dots	84*56dots	72*48 dots	48*32 dots
Cabinet Pixel	216*216 dots	168*168 dots	144*144 dots	100*100 dots
Max Power	550 w/sqm	550 w/sqm	550 w/sqm	550 w/sqm
Average Power	185 w/sqm	185 w/sqm	185 w/sqm	185 w/sqm
Viewing Angle	H140 (+70/-70) deg V140 (+70/-70) deg			
Control Way	Synchronous/ Asynchronous			
Gray Scale	16 bit			
Operating System	AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI			
Work Humidity	10%~90%			
Work Temperature	-20 ~ + 65℃			

Shenzhen Enbon Optoelectronic CO.,LTD

3/ F, Building 1, High-tech Park,Fuyuan Road No.156, Fuhai Street,
Fuyong Town,Baoan District, Shenzhen, China



+86-755-2357 0137



enbon led display



enbon led display



www.enbon.com



enbondisplay



enbon led display