

EnBon

IM Model

Indoor Fixed Front And Back Service Design



ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display



Lighter **W**eight **E**asier **O**peration

20% lighter than normal products
Making it more convenient to operate and move




L*H: 248*248(mm)

Module



L*H: 496*496(mm)

Cabinet



Weight 6.75kg

ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display



Thinner Panels Lower Cost

6 in 1 flight case saves more space
and transportation cost



24 panels can be placed horizontally
in a regular 20-foot or 40-foot truck

57mm
Panel Thickness



ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display

EnBon

High Refresh Rate

High Grayscale



Low Refresh Rate



High Refresh Rate



Low Grayscale




High Grayscale




Product Details



Can Do Seamless Splicing



Handles



Corner Cover



Power Box



Fast Lock
Between Left and
Right Cabinets

ENBON GROUP
Spirit & Success, **Together**



Enbon



Enbon **Led** Display




Stowing **A**nd **H**anging

Optional vertical installation and hanging beam installation



Hanging Beam Installation



Vertical Installation



Product Specification

Advanced locking system safety, Mechanism enables one-man installation

Pixel Pitch	1.9	2.5
LED Lamp	SMD1515	SMD2121
Density (dots/m²)	276676	160000
Brightness	≤800 nits	≤800 nits
IP Rating	Front IP55 / Rear IP32	Front IP55 / Rear IP32
Cabinet Materiel	Die-casting Aluminum	
Scan	64 scan	32 scan
Module Weight	0.55 kg	0.55 kg
Cabinet Weight	6.75 kg	6.75 kg
Module Size (mm)	248*248	248*248
Cabinet Size (mm)	496*496*57	496*496*57
Module Pixel	128*128 dots	96*96 dots
Cabinet Pixel	256*256 dots	192*192 dots
Max Power	600 w/sqm	600 w/sqm
Average Power	360 w/sqm	360 w/sqm
Viewing Angle	H140 (+70/-70) deg V140 (+70/-70) deg	
Control Way	Synchronous / Asynchronous	
Gray Scale	16 bit	
Operating System	AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI	
Work Humidity	10% ~ 90%	
Work Temperature	-20 ~ + 65°C	

Shenzhen Enbon Optoelectronic CO.,LTD

3/ F, Building 1, High-tech Park,Fuyuan Road No.156, Fuhai Street,
Fuyong Town,Baoan District, Shenzhen, China



Enbon



Enbon Led Display